

DF514 SCALPING UNIT

Rev-9.3

HOPPER

Width	2.7m (8' 9")
Length	3.7m (12' 1")
Max volume	7.2m ³ (9.4yd ³)

SCREENBOX

Top Deck	14' x 5' (4.27m x 1.52m)
Bottom Deck	13'11" x 5' (4.25m x 1.52m)
Angle	15-19°

FEEDER BELT

Width	1200mm (48")
Type	Plain belt
Control	Variable speed

FINES BELT

Width	800mm (32")
Discharge Height	3.80m (12' 5")
Control	Variable speed

MIDS BELT

Width	800mm (32")
Discharge Height	3.60m (11' 8")
Control	Variable speed

OVERSIZE BELT

Width	1200mm (48")
Discharge Height	3.40m (11' 1")
Control	Variable speed

COLLECTION BELT

Width	1200mm (48")
Control	Constant

TRACKS

Width	400mm
Speed	1km/h

POWERPACK

Diesel tank	390L (85 gallon/103 US gallon)
Hydraulic tank	450L (98 gallon/118 US gallon)



OPTIONS

1. Top deck: Finger tines, bofor bar punch plate or mesh
2. Radio remote control
3. Tier 3 - CAT 4.4 (74.5Kw) or JCB444 (85kW) DieselMAX - ROW
Tier 4i/Stage 3b - JCB444 EcoMAX (93Kw) - EU (Until Dec 2019)
Tier 4F - JCB444 EcoMAX (81Kw) - Optional CAT 4.4T T4F - USA
Stage V - JCB444 EcoMax - EU (From Jan2020)
4. Apron feeder

APRON FEEDER

Width	1200mm (48")
Type	Apron
Control	Variable speed

PERFORMANCE

Max feed size	500mm
Capacity	up to 375 tph

WORKING DIMENSIONS

Length	13.60m (44' 6")
Width	13.90m (45' 6")
Height	4.40m (14' 7")

TRANSPORT DIMENSIONS

Length	13.60m (44' 6")
Width	3.0m (9' 8")
Height	3.40m (11' 2")

GENERAL

Weight			
Apron feed	27500Kgs	28.1 US Ton	56200 lbs
Belt feed	25000Kgs	25.3 US Ton	50600 lbs

ANACONDA[®]
A McLanahan Company

Copyright 2014 by Anaconda Equipment International. All rights reserved
This document or any part thereof must not be reproduced without the permission of Anaconda